


FIG. 6

		1			MEASL	MEASURED POSITION	SITION				
LENGTH OF OPPOSING SURFACE		-500μm -400μm -300μm	-300µm	-200μm	-100μm	-100µm MAGNETIC +100µm +200µm +300µm +400µm +500µm	+100µm	+200μm	+300µm	+400μm	+500µm
Rch: 789µm			-3.0	-1.8	-0.6	0.0	0.0	2.2	4.4		
Rch: 862µm			-1.2	8.0-	0.0	0.0	0.0	0.8	2.0		
Rch: 909μm		-4.0	-1.6	0.0	0.0	0.0	0.0	0.8	1.6	4.0	
Rch: 976µm		-3.0	-1.6	0.0	0.0	0.0	0.0	0.6	1.6	2.6	
Rch: 1131μm	-3.6	-1.1	0.0	0.0	0.0	0.0	0.0	0.4	1.0	2.4	4.2
Lch: 785µm			3.2	2.0	0.5	0.0	-0.4	-1.6	-3.8		
Lch: 851µm			2.4	1.2	9.0	0.0	9.0-	-1.4	-2.4		
Lch: 902μm		3.0	1.6	0.0	0.0	0.0	0.0	-0.4	-1.8	-2.4	
Lch: 989µm		2.0	0.6	0.0	0.0	0.0	0.0	0.0	-1.0	-1.4	
Lch: 1131µm	4.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	8.0-	-1.8

UNIT (um)





 $6 \angle 10$

7 / 10

FIG. 8 PRIOR ART







FIG. 9 PRIOR ART






8 / 10







10 / 10

FIG. 12 PRIOR ART

